

## Publications that have used ARHMS data or had ARHMS staff as authors/coauthors

### 2024

- Bolin EH, Ali MM, Farr SL, et al. Health Insurance Status and Access to Healthcare Among Young Adults with Congenital Heart Disease: from the Congenital Heart Survey To Recognize Outcomes, Needs and Well-being (CH STRONG), 2016-2019. *Pediatr Cardiol.* 2024;45(6):1308-1315. doi:10.1007/s00246-023-03106-z
- ElHassan NO, Cen R, Pugh CP, et al. Childhood Educational Outcomes of Infants Born With Esophageal Atresia With or Without Tracheoesophageal Atresia. *Birth Defects Res.* 2024;116(12):e2417. doi:10.1002/bdr2.2417
- Feldkamp ML, Canfield MA, Krikov S, et al. Gastroschisis prevalence patterns in 27 surveillance programs from 24 countries, International Clearinghouse for Birth Defects Surveillance and Research, 1980-2017. *Birth Defects Res.* 2024;116(2):e2306. doi:10.1002/bdr2.2306
- Forestieri NE, Olshan AF, Oster ME, et al. Survival of Children With Critical Congenital Heart Defects in the National Birth Defects Prevention Study. *Birth Defects Res.* 2024;116(9):e2394. doi:10.1002/bdr2.2394
- Nguyen C, Gormley C, Spray B, Shan X, Canon S. Assessment of the CDC hypospadias atlas for epidemiological research - A survey of experts. *J Pediatr Urol.* Published online October 25, 2024. doi:10.1016/j.jpuro.2024.10.015
- Patel J, Politis MD, Howley MM, et al. Fever and antibiotic use in maternal urinary tract infections during pregnancy and risk of congenital heart defects: Findings from the National Birth Defects Prevention Study. *Birth Defects Res.* 2024;116(1):e2281. doi:10.1002/bdr2.2281

### 2023

- Andrews JG, Strah D, Downing KF, et al. Cardiology Care and Loss to Follow-Up Among Adults With Congenital Heart Defects in CH STRONG. *Am J Cardiol.* 2023;197:42-45. doi:10.1016/j.amjcard.2023.04.004
- Downing KF, Klewer SE, Nembhard WN, Goudie A, Oster ME, Farr SL. Healthcare and Socioeconomic Outcomes Among Young Adults With Congenital Heart Defects and Functional Cognitive Disabilities, CH STRONG 2016 to 2019. *Am J Cardiol.* 2023;201:229-231. doi:10.1016/j.amjcard.2023.05.074
- Downing KF, Nembhard WN, Rose CE, et al. Survival From Birth Until Young Adulthood Among Individuals With Congenital Heart Defects: CH STRONG. *Circulation.* 2023;148(7):575-588. doi:10.1161/CIRCULATIONAHA.123.064400
- Kancherla V, Sundar M, Tandaki L, et al. Prevalence and mortality among children with anorectal malformation: A multi-country analysis. *Birth Defects Res.* 2023;115(3):390-404. doi:10.1002/bdr2.2129
- Krajewski, A. K., Patel, A., Gray, C. L., Messer, L. C., Keeler, C. Y., Langlois, P. H., Reefhuis, J., Gilboa, S. M., Werler, M. M., Shaw, G. M., Carmichael, S. L., Nembhard, W. N., Insaf, T. Z.,

Feldkamp, M. L., Conway, K. M., Lobdell, D. T., Desrosiers, T. A., & National Birth Defects Prevention Study (2023). Is gastroschisis associated with county-level socio-environmental quality during pregnancy?. *Birth defects research*, 115(18), 1758–1769.

<https://doi.org/10.1002/bdr2.2250>

- Martin-Giacalone BA, Lin AE, Rasmussen SA, et al. Prevalence and descriptive epidemiology of Turner syndrome in the United States, 2000-2017: A report from the National Birth Defects Prevention Network. *Am J Med Genet A*. 2023;191(5):1339-1349. [doi:10.1002/ajmg.a.63181](https://doi.org/10.1002/ajmg.a.63181)
- Mc Goldrick N, Revie G, Groisman B, et al. A multi-program analysis of cleft lip with cleft palate prevalence and mortality using data from 22 International Clearinghouse for Birth Defects Surveillance and Research programs, 1974-2014. *Birth Defects Res*. 2023;115(10):980-997. [doi:10.1002/bdr2.2176](https://doi.org/10.1002/bdr2.2176)
- Rashkin SR, Cleves M, Shaw GM, et al. A genome-wide association study of obstructive heart defects among participants in the National Birth Defects Prevention Study. *Am J Med Genet A*. 2022;188(8):2303-2314. [doi:10.1002/ajmg.a.62759](https://doi.org/10.1002/ajmg.a.62759)
- Shan X, Aguilar S, Canon S. Hypospadias prevalence by severity and associated risk factors: A population-based active surveillance analysis. *J Pediatr Urol*. 2023;19(6):720.e1-720.e9. [doi:10.1016/j.jpuro.2023.08.010](https://doi.org/10.1016/j.jpuro.2023.08.010)
- Walden AR, Nembhard WN, Akmyradov C, Goudie A, ElHassan NO. School age educational outcomes of infants born with congenital diaphragmatic hernia. *Birth Defects Res*. 2023;115(1):96-109. [doi:10.1002/bdr2.2104](https://doi.org/10.1002/bdr2.2104)
- Weber KA, Yang W, Carmichael SL, et al. Assessing associations between residential proximity to greenspace and birth defects in the National Birth Defects Prevention Study. *Environ Res*. 2023;216(Pt 3):114760. [doi:10.1016/j.envres.2022.114760](https://doi.org/10.1016/j.envres.2022.114760)

## 2022

- Bolin EH, Gokun Y, Romitti PA, et al. Maternal Smoking and Congenital Heart Defects, National Birth Defects Prevention Study, 1997-2011. *J Pediatr*. 2022;240:79-86.e1. [doi:10.1016/j.jpeds.2021.09.005](https://doi.org/10.1016/j.jpeds.2021.09.005)
- ElHassan, N. O., Sharma, M., Akmyradov, C., Kaiser, J. R., Goudie, A., & Nembhard, W. N. (2022). Childhood Educational Outcomes of Children Born with Gastroschisis. *The Journal of pediatrics*, 240, 110–116.e3. <https://doi.org/10.1016/j.jpeds.2021.08.086>
- Liberman RF, Heinke D, Petersen JM, et al. Interpregnancy interval and prevalence of selected birth defects: A multistate study. *Birth Defects Res*. 2022;114(2):69-79. [doi:10.1002/bdr2.1960](https://doi.org/10.1002/bdr2.1960)
- Mai CT, Evans J, Alverson CJ, et al. Changes in Spina Bifida Lesion Level after Folic Acid Fortification in the US. *J Pediatr*. 2022;249:59-66.e1. [doi:10.1016/j.jpeds.2022.06.023](https://doi.org/10.1016/j.jpeds.2022.06.023)
- Richard MA, Patel J, Benjamin RH, et al. Prevalence and Clustering of Congenital Heart Defects Among Boys With Hypospadias. *JAMA Netw Open*. 2022;5(7):e2224152. Published 2022 Jul 1. [doi:10.1001/jamanetworkopen.2022.24152](https://doi.org/10.1001/jamanetworkopen.2022.24152)

- Stallings EB, Isenburg JL, Aggarwal D, et al. Prevalence of critical congenital heart defects and selected co-occurring congenital anomalies, 2014-2018: A U.S. population-based study. *Birth Defects Res.* 2022;114(2):45-56. doi:10.1002/bdr2.1980

## 2021

- Bell JC, Baynam G, Bergman JEH, et al. Survival of infants born with esophageal atresia among 24 international birth defects surveillance programs. *Birth Defects Res.* 2021;113(12):945-957. doi:10.1002/bdr2.1891
- Downing KF, Oster ME, Klewer SE, et al. Disability Among Young Adults With Congenital Heart Defects: Congenital Heart Survey to Recognize Outcomes, Needs, and Well-Being 2016-2019. *J Am Heart Assoc.* 2021;10(21):e022440. doi:10.1161/JAHA.121.022440
- Heinke D, Isenburg JL, Stallings EB, et al. Prevalence of structural birth defects among infants with Down syndrome, 2013-2017: A US population-based study. *Birth Defects Res.* 2021;113(2):189-202. doi:10.1002/bdr2.1854
- Oster ME, Riser AP, Andrews JG, et al. Comorbidities Among Young Adults with Congenital Heart Defects: Results from the Congenital Heart Survey To Recognize Outcomes, Needs, and well-beinG - Arizona, Arkansas, and Metropolitan Atlanta, 2016-2019. *MMWR Morb Mortal Wkly Rep.* 2021;70(6):197-201. Published 2021 Feb 12. doi:10.15585/mmwr.mm7006a3
- Patel J, Bircan E, Tang X, et al. Paternal genetic variants and risk of obstructive heart defects: A parent-of-origin approach. *PLoS Genet.* 2021;17(3):e1009413. Published 2021 Mar 8. doi:10.1371/journal.pgen.1009413
- Politis MD, Bermejo-Sánchez E, Canfield MA, et al. Prevalence and mortality in children with congenital diaphragmatic hernia: a multicountry study. *Ann Epidemiol.* 2021;56:61-69.e3. doi:10.1016/j.annepidem.2020.11.007

## 2020

- Anderson KN, Ailes EC, Lind JN, et al. Atypical antipsychotic use during pregnancy and birth defect risk: National Birth Defects Prevention Study, 1997-2011. *Schizophr Res.* 2020;215:81-88.
- Anderson KN, Dutton AC, Broussard CS, et al. ADHD Medication Use During Pregnancy and Risk for Selected Birth Defects: National Birth Defects Prevention Study, 1998-2011. *J Atten Disord.* 2020;24(3):479-489.
- Anderson KN, Lind JN, Simeone RM, et al. Maternal Use of Specific Antidepressant Medications During Early Pregnancy and the Risk of Selected Birth Defects. *Jama Psychiat.* 2020;77(12):1246-1255.
- ELHassan NO, Young SG, Gokun Y, Wan F, Nembhard WN. Trends in prevalence and spatiotemporal distribution of gastroschisis in Arkansas, 1998-2015. *Birth Defects Res.* 2020;112(18):1484-1494. doi:10.1002/bdr2.1772

- Hansen C, Desrosiers TA, Wisniewski K, Strickland MJ, Werler MM, Gilboa SM. Use of antihistamine medications during early pregnancy and selected birth defects: The National Birth Defects Prevention Study, 1997-2011. *Birth Defects Research*. 2020;112(16):1234-1252.
- Heinke D, Nestoridi E, Hernandez-Diaz S, et al. Risk of Stillbirth for Fetuses With Specific Birth Defects. *Obstet Gynecol*. 2020;135(1):133-140. doi:10.1097/AOG.0000000000003614
- Moore KJ, Carmichael SL, Forestieri NE, et al. Maternal diet as a risk factor for primary congenital glaucoma and defects of the anterior segment of the eye in the National Birth Defects Prevention Study. *Birth Defects Research*. 2020;112(6):503-514.
- Nembhard WN, Bergman JEH, Politis MD, et al. A multi-country study of prevalence and early childhood mortality among children with omphalocele. *Birth Defects Res*. 2020;112(20):1787-1801. doi:10.1002/bdr2.1822
- Patel J, Schraw JM, Lupo PJ, Mian A, Nembhard WN. Cancer Risk by Attained Age among Children with Birth Defects in Arkansas. *Cancer Epidemiol*. 2020;68:101796. doi:10.1016/j.canep.2020.101796
- Spinder N, Almli LM, Desrosiers TA, et al. Maternal occupational exposure to solvents and gastroschisis in offspring - National Birth Defects Prevention Study 1997-2011. *Occupational and Environmental Medicine*. 2020;77(3):172-178.
- Tinker SC, Gilboa SM, Reefhuis J. Specific birth defects in pregnancies of women with diabetes: caution on bias REPLY. *American Journal of Obstetrics and Gynecology*. 2020;223(3):466-466..

## 2019

- Yu X, Nassar N, Mastroiacovo P, et al. Hypospadias Prevalence and Trends in International Birth Defect Surveillance Systems, 1980-2010. *Eur Urol*. 2019;76(4):482-490.
- Tinker SC, Reefhuis J, Bitsko RH, et al. Use of benzodiazepine medications during pregnancy and potential risk for birth defects, National Birth Defects Prevention Study, 1997-2011. *Birth Defects Research*. 2019;111(10):613-620.
- Stallings EB, Isenburg JL, Short TD, et al. Population-based birth defects data in the United States, 2012-2016: A focus on abdominal wall defects. *Birth Defects Res*. 2019;111(18):1436-1447.
- Siegel M, Rocheleau CM, Johnson CY, et al. Maternal Occupational Oil Mist Exposure and Birth Defects, National Birth Defects Prevention Study, 1997-2011. *Int J Env Res Pub He*. 2019;16(9).
- Nembhard WN, McElfish PA, Ayers B, et al. Nuclear radiation and prevalence of structural birth defects among infants born to women from the Marshall Islands. *Birth Defects Research*. 2019;111(16):1192-1204.
- Nembhard WN, Ayers BL, Collins RT, et al. Adverse Pregnancy and Neonatal Outcomes Among Marshallese Women Living in the United States. *Matern Child Hlth J*. 2019;23(11):1525-1535.

- Nalbandyan M, Howley MM, Cunniff CM, Romitti PA, Browne ML, National Birth Defects Prevention S. Descriptive and risk factor analysis of nonsyndromic sacral agenesis: National Birth Defects Prevention Study, 1997-2011. *Am J Med Genet A*. 2019;179(9):1799-1814.
- Mai CT, Isenburg JL, Canfield MA, et al. National population-based estimates for major birth defects, 2010-2014. *Birth Defects Research*. 2019;111(18):1420-1435.
- Lupo PJ, Schraw JM, Desrosiers TA. Association Between Birth Defects and Cancer Risk Among Children and Adolescents in a Population-Based Assessment of 10 Million Live Births (vol 5, pg 1150, 2019). *Jama Oncol*. 2019;5(8):1232-1232.
- Hoyt AT, Shumate CJ, Canfield MA, et al. Selected acculturation factors and birth defects in the National Birth Defects Prevention Study, 1997-2011. *Birth Defects Research*. 2019;111(10):598-612.
- Howley MM, Papadopoulos EA, Van Bennekom C, et al. Asthma medication use and risk of birth defects: National Birth Defects Prevention Study 1997-2011. *Pharmacoepidem Dr S*. 2019;28:365-366.
- Hoang TT, Lei YP, Mitchell LE, et al. Maternal Lactase Polymorphism (rs4988235) Is Associated with Neural Tube Defects in Offspring in the National Birth Defects Prevention Study. *J Nutr*. 2019;149(2):295-303.
- Goel N, Morris JK, Tucker D, et al. Trisomy 13 and 18-Prevalence and mortality-A multi-registry population based analysis. *American Journal of Medical Genetics Part A*. 2019;179(12):2382-2392.
- Forestieri NE, Desrosiers TA, Freedman SF, et al. Risk factors for primary congenital glaucoma in the National Birth Defects Prevention Study. *American Journal of Medical Genetics Part A*. 2019;179(9):1846-1856.
- Feldkamp ML, Arnold KE, Krikov S, et al. Risk of gastroschisis with maternal genitourinary infections: the US National birth defects prevention study 1997-2011. *Bmj Open*. 2019;9(3).
- Downing KF, Riehle-Colarusso T, Gilboa SM, et al. Potential risk factors for Ebstein anomaly, National Birth Defects Prevention Study, 1997-2011. *Cardiology in the Young*. 2019;29(6):819-827.
- Choi G, Stingone JA, Desrosiers TA, et al. Maternal exposure to outdoor air pollution and congenital limb deficiencies in the National Birth Defects Prevention Study. *Environ Res*. 2019;179(Pt A):108716.
- Benjamin RH, Mitchell LE, Canfield MA, et al. Fish consumption prior to pregnancy and pregnancy outcomes in the National Birth Defects Prevention Study, 1997-2011. *Public Health Nutr*. 2019;22(2):336-343.
- Bakker MK, Kancherla V, Canfield MA, et al. Analysis of Mortality among Neonates and Children with Spina Bifida: An International Registry-Based Study, 2001-2012. *Paediatr Perinat Ep*. 2019;33(6):436-448.
- Bakker MK, Bergman JEH, Krikov S, et al. Prenatal diagnosis and prevalence of critical congenital heart defects: an international retrospective cohort study. *BMJ Open*. 2019;9(7).

## 2018

- Weyer P, Rhoads A, Suhl J, et al. Drinking water disinfection byproducts and risk of orofacial clefts in the National Birth Defects Prevention Study. *Birth Defects Research*. 2018;110(12):1027-1042.
- Waller DK, Hashmi SS, Hoyt AT, et al. Maternal report of fever from cold or flu during early pregnancy and the risk for noncardiac birth defects, National Birth Defects Prevention Study, 1997-2011. *Birth Defects Research*. 2018;110(4):342-351.
- Parker SE, Van Bennekom C, Anderka M, Mitchell AA, Stu NBDP. Ondansetron for Treatment of Nausea and Vomiting of Pregnancy and the Risk of Specific Birth Defects. *Obstetrics and Gynecology*. 2018;132(2):385-394.
- Johnson CY, Howards PP, Strickland MJ, Waller DK, Flanders WD, Stud NBDP. Multiple bias analysis using logistic regression: an example from the National Birth Defects Prevention Study. *Annals of Epidemiology*. 2018;28(8):510-514.
- Howley MM, Keppler-Noreuil KM, Cunniff CM, Browne ML, Stud NBDP. Descriptive epidemiology of cerebellar hypoplasia in the National Birth Defects Prevention Study. *Birth Defects Research*. 2018;110(19):1419-1432.
- Howley MM, Feldkamp ML, Papadopoulos EA, et al. Maternal genitourinary infections and risk of birth defects in the National Birth Defects Prevention Study. *Birth Defects Research*. 2018;110(19):1443-1454.
- Fisher SC, Van Zutphen AR, Werler MM, et al. Maternal antihypertensive medication use and selected birth defects in the National Birth Defects Prevention Study. *Birth Defects Research*. 2018;110(19):1433-1442.
- Fisher SC, Van Zutphen AR, Romitti PA, Browne ML, Study NBDP. Maternal Hypertension, Antihypertensive Medication Use, and Small for Gestational Age Births in the National Birth Defects Prevention Study, 1997-2011. *Matern Child Hlth J*. 2018;22(2):237-246.
- Dukhovny S, Van Bennekom CM, Gagnon DR, et al. Metformin in the first trimester and risks for specific birth defects in the National Birth Defects Prevention Study. *Birth Defects Research*. 2018;110(7):579-586.

## 2017

- Stingone JA LT, Carmichael SM, Aylsworth AS, Botto L, Correa A, Gilboa SM, Langlois PH, Nembhard WN, Richmond-Bryant J, Shaw GM, Olshan AE and the National Birth Defects Prevention Study. Maternal Exposure to Nitrogen Dioxide, Intake of Methyl Nutrients and Congenital Heart Defects in Offspring. *Am J Epidemiol* 2017.
- Rabie NZ SA, Berber KA, Ounpraseuth S, Nembhard WN, Magann EF, and Lowery C. Teleultrasound: How Accurate Are We? *J Ultrasound Med* 2017.
- Lupo PJ, Isenburg JL, Salemi JL, et al. Population-based birth defects data in the United States, 2010-2014: A focus on gastrointestinal defects. *Birth Defects Res*. 2017;109(18):1504-1514.

## 2016

- Winston JJ, Emch M, Meyer RE, et al. Hypospadias and maternal exposure to atrazine via drinking water in the National Birth Defects Prevention study. *Environ Health*. 2016;15(1):76.
- Mulkey SB, Bai S, Luo C, et al. School-Age Test Proficiency and Special Education After Congenital Heart Disease Surgery in Infancy. *J Pediatr*. 2016;178:47-54 e41.
- Li M, Li J, Wei C, et al. A Three-Way Interaction among Maternal and Fetal Variants Contributing to Congenital Heart Defects. *Ann Hum Genet*. 2016;80(1):20-31.
- Li M, Li J, He Z, et al. Testing Allele Transmission of an SNP Set Using a Family-Based Generalized Genetic Random Field Method. *Genet Epidemiol*. 2016;40(4):341-351.
- Jones AM, Isenburg J, Salemi JL, et al. Increasing Prevalence of Gastroschisis--14 States, 1995-2012. *MMWR Morb Mortal Wkly Rep*. 2016;65(2):23-26.
- Dawson AL, Tinker SC, Jamieson DJ, et al. Twinning and major birth defects, National Birth Defects Prevention Study, 1997-2007. *J Epidemiol Community Health*. 2016;70(11):1114-1121.
- Cragan JD, Isenburg JL, Parker SE, et al. Population-based microcephaly surveillance in the United States, 2009 to 2013: An analysis of potential sources of variation. *Birth Defects Res A Clin Mol Teratol*. 2016;106(11):972-982.

## 2015

- Yazdy MM, Werler MM, Feldkamp ML, et al. Spatial analysis of gastroschisis in the National Birth Defects Prevention Study. *Birth Defects Res A Clin Mol Teratol*. 2015;103(6):544-553.
- Williams J, Mai CT, Mulinare J, et al. Updated estimates of neural tube defects prevented by mandatory folic Acid fortification - United States, 1995-2011. *MMWR Morb Mortal Wkly Rep*. 2015;64(1):1-5.
- Webber DM, MacLeod SL, Bamshad MJ, et al. Developments in our understanding of the genetic basis of birth defects. *Birth Defects Res A Clin Mol Teratol*. 2015;103(8):680-691.
- Tang X, Hobbs CA, Cleves MA, et al. Genetic variation affects congenital heart defect susceptibility in offspring exposed to maternal tobacco use. *Birth Defects Res A Clin Mol Teratol*. 2015;103(10):834-842.
- Tang X, Cleves MA, Nick TG, et al. Obstructive heart defects associated with candidate genes, maternal obesity, and folic acid supplementation. *Am J Med Genet A*. 2015;167(6):1231-1242.
- Simeone RM, Oster ME, Hobbs CA, Robbins JM, Thomas Collins R, Honein MA. Factors associated with inpatient hospitalizations among patients aged 1 to 64 years with congenital heart defects, Arkansas 2006 to 2011. *Birth Defects Res A Clin Mol Teratol*. 2015;103(7):589-596.
- Simeone RM, Oster ME, Hobbs CA, Robbins JM, Collins RT, Honein MA. Population-based study of hospital costs for hospitalizations of infants, children, and adults with a congenital heart defect, Arkansas 2006 to 2011. *Birth Defects Res A Clin Mol Teratol*. 2015;103(9):814-820.
- Rocheleau CM, Bertke SJ, Lawson CC, et al. Maternal occupational pesticide exposure and risk of congenital heart defects in the National Birth Defects Prevention Study. *Birth Defects Res A Clin Mol Teratol*. 2015;103(10):823-833.
- Mosley BS, Bowman CW, Onukwube J, Schaefer GB, Collins RT, Robbins JM. Critical congenital heart defects among infants born in Arkansas hospitals: Implications for newborn screening. *Journal of Arkansas Medical Society*. 2015;112(8):138-140.

- Miquel-Verges F, Mosley BS, Block AS, Hobbs CA. A spectrum project: preterm birth and small-for-gestational age among infants with birth defects. *J Perinatol*. 2015;35(3):198-203.
- Marshall J, Salemi JL, Tanner JP, et al. Prevalence, Correlates, and Outcomes of Omphalocele in the United States, 1995-2005. *Obstet Gynecol*. 2015;126(2):284-293.
- Mai CT, Isenburg J, Langlois PH, et al. Population-based birth defects data in the United States, 2008 to 2012: Presentation of state-specific data and descriptive brief on variability of prevalence. *Birth Defects Res A Clin Mol Teratol*. 2015;103(11):972-993.
- Dawson AL, Tinker SC, Jamieson DJ, et al. Epidemiology of twinning in the National Birth Defects Prevention Study, 1997 to 2007. *Birth Defects Res A Clin Mol Teratol*. 2015;103(2):85-99.
- Anderka M, Mai CT, Romitti PA, et al. Development and implementation of the first national data quality standards for population-based birth defects surveillance programs in the United States. *BMC Public Health*. 2015;15:925.

## 2014

- Weedn AE, Mosley BS, Cleves MA, et al. Maternal reporting of prenatal ultrasounds among women in the National Birth Defects Prevention Study. *Birth Defects Res A Clin Mol Teratol*. 2014;100(1):4-12.
- Tang X, Nick TG, Cleves MA, et al. Maternal obesity and tobacco use modify the impact of genetic variants on the occurrence of conotruncal heart defects. *PLoS One*. 2014;9(9):e108903.
- Stingone JA, Luben TJ, Daniels JL, et al. Maternal exposure to criteria air pollutants and congenital heart defects in offspring: results from the national birth defects prevention study. *Environ Health Perspect*. 2014;122(8):863-872.
- Shaw GM, Yang W, Carmichael SL, et al. One-carbon metabolite levels in mid-pregnancy and risks of conotruncal heart defects. *Birth Defects Res A Clin Mol Teratol*. 2014;100(2):107-115.
- Li M, Erickson SW, Hobbs CA, et al. Detecting maternal-fetal genotype interactions associated with conotruncal heart defects: a haplotype-based analysis with penalized logistic regression. *Genet Epidemiol*. 2014;38(3):198-208.
- Li M, Cleves MA, Mallick H, et al. A genetic association study detects haplotypes associated with obstructive heart defects. *Hum Genet*. 2014;133(9):1127-1138.
- Hobbs CA, Cleves MA, Macleod SL, et al. Conotruncal heart defects and common variants in maternal and fetal genes in folate, homocysteine, and transsulfuration pathways. *Birth Defects Res A Clin Mol Teratol*. 2014;100(2):116-126.
- Glidewell J, Reefhuis J, Rasmussen SA, et al. Factors affecting maternal participation in the genetic component of the National Birth Defects Prevention Study-United States, 1997-2007. *Genet Med*. 2014;16(4):329-337.
- Dabit JY, Romitti PA, Makelarski JA, et al. Examination of mental health status and aggravation level among mothers of children with isolated oral clefts. *Cleft Palate Craniofac J*. 2014;51(4):e80-87.
- Ailes EC, Gilboa SM, Riehle-Colarusso T, et al. Prenatal diagnosis of nonsyndromic congenital heart defects. *Prenat Diagn*. 2014;34(3):214-222.

## 2013

- Tyler MC, Wehby GL, Robbins JM, Damiano PC. Separation anxiety in children ages 4 through 9 with oral clefts. *Cleft Palate Craniofac J*. 2013;50(5):520-527.
- Sotres-Alvarez D, Siega-Riz AM, Herring AH, et al. Maternal dietary patterns are associated with risk of neural tube and congenital heart defects. *Am J Epidemiol*. 2013;177(11):1279-1288.
- Shinde MU, Vuong AM, Brender JD, et al. Prenatal exposure to nitrosatable drugs, vitamin C, and risk of selected birth defects. *Birth Defects Res A Clin Mol Teratol*. 2013;97(8):515-531.
- Mai CT, Kucik JE, Isenburg J, et al. Selected birth defects data from population-based birth defects surveillance programs in the United States, 2006 to 2010: featuring trisomy conditions. *Birth Defects Res A Clin Mol Teratol*. 2013;97(11):709-725.
- Kirby RS, Marshall J, Tanner JP, et al. Prevalence and correlates of gastroschisis in 15 states, 1995 to 2005. *Obstet Gynecol*. 2013;122(2 Pt 1):275-281.
- Hunter JE, Allen EG, Shin M, et al. The association of low socioeconomic status and the risk of having a child with Down syndrome: a report from the National Down Syndrome Project. *Genet Med*. 2013;15(9):698-705.
- Blossom SJ, Rau JL, Best TH, Bornemeier RA, Hobbs CA. Increased maternal cytokine production and congenital heart defects. *J Reprod Immunol*. 2013;97(2):204-210.

## 2012

- Lupo PJ, Symanski E, Langlois PH, et al. Maternal occupational exposure to polycyclic aromatic hydrocarbons and congenital heart defects among offspring in the national birth defects prevention study. *Birth Defects Res A Clin Mol Teratol*. 2012;94(11):875-881.
- Correa A, Gilboa SM, Botto LD, et al. Lack of periconceptional vitamins or supplements that contain folic acid and diabetes mellitus-associated birth defects. *Am J Obstet Gynecol*. 2012;206(3):218 e211-213.
- Chowdhury S, Hobbs CA, MacLeod SL, et al. Associations between maternal genotypes and metabolites implicated in congenital heart defects. *Mol Genet Metab*. 2012;107(3):596-604.
- Chandler AL, Hobbs CA, Mosley BS, et al. Neural tube defects and maternal intake of micronutrients related to one-carbon metabolism or antioxidant activity. *Birth Defects Res A Clin Mol Teratol*. 2012;94(11):864-874.
- Carmichael SL, Shaw GM, Lammer EJ. Environmental and genetic contributors to hypospadias: a review of the epidemiologic evidence. *Birth Defects Res A Clin Mol Teratol*. 2012;94(7):499-510.
- Canon S, Mosley B, Chipollini J, Purifoy JA, Hobbs C. Epidemiological assessment of hypospadias by degree of severity. *J Urol*. 2012;188(6):2362-2366.
- Brender JD, Werler MM, Shinde MU, et al. Nitrosatable drug exposure during the first trimester of pregnancy and selected congenital malformations. *Birth Defects Res A Clin Mol Teratol*. 2012;94(9):701-713.

## 2011

- Hobbs CA, MacLeod SL, Jill James S, Cleves MA. Congenital heart defects and maternal genetic, metabolic, and lifestyle factors. *Birth Defects Res A Clin Mol Teratol*. 2011;91(4):195-203.

- Cleves MA, Hobbs CA, Zhao W, Krakowiak PA, MacLeod SL, National Birth Defects Prevention S. Association between selected folate pathway polymorphisms and nonsyndromic limb reduction defects: a case-parental analysis. *Paediatr Perinat Epidemiol.* 2011;25(2):124-134.
- Chowdhury S, Erickson SW, MacLeod SL, et al. Maternal genome-wide DNA methylation patterns and congenital heart defects. *PLoS One.* 2011;6(1):e16506.
- Chowdhury S, Cleves MA, MacLeod SL, James SJ, Zhao W, Hobbs CA. Maternal DNA hypomethylation and congenital heart defects. *Birth Defects Res A Clin Mol Teratol.* 2011;91(2):69-76.
- Bean LJ, Allen EG, Tinker SW, et al. Lack of maternal folic acid supplementation is associated with heart defects in Down syndrome: a report from the National Down Syndrome Project. *Birth Defects Res A Clin Mol Teratol.* 2011;91(10):885-893.

## 2010

- Shin M, Besser LM, Siffel C, et al. Prevalence of spina bifida among children and adolescents in 10 regions in the United States. *Pediatrics.* 2010;126(2):274-279.
- Robbins JM, Damiano P, Druschel CM, et al. Prenatal diagnosis of orofacial clefts: association with maternal satisfaction, team care, and treatment outcomes. *Cleft Palate Craniofac J.* 2010;47(5):476-481.
- Parker SE, Mai CT, Canfield MA, et al. Updated National Birth Prevalence estimates for selected birth defects in the United States, 2004-2006. *Birth Defects Res A Clin Mol Teratol.* 2010;88(12):1008-1016.
- Hobbs CA, Cleves MA, Karim MA, Zhao W, MacLeod SL. Maternal folate-related gene environment interactions and congenital heart defects. *Obstet Gynecol.* 2010;116(2 Pt 1):316-322.
- Gilboa SM, Correa A, Botto LD, et al. Association between prepregnancy body mass index and congenital heart defects. *Am J Obstet Gynecol.* 2010;202(1):51 e51-51 e10.
- Austin AA, Druschel CM, Tyler MC, et al. Interdisciplinary craniofacial teams compared with individual providers: is orofacial cleft care more comprehensive and do parents perceive better outcomes? *Cleft Palate Craniofac J.* 2010;47(1):1-8.

## 2009-2000

- Wong-Gibbons DL, Kancherla V, Romitti PA, et al. Maternal reports of satisfaction with care and outcomes for children with craniosynostosis. *J Craniofac Surg.* 2009;20(1):138-142.
- Reefhuis J, Honein MA, Schieve LA, et al. Assisted reproductive technology and major structural birth defects in the United States. *Hum Reprod.* 2009;24(2):360-366.
- Mosley BS, Cleves MA, Siega-Riz AM, et al. Neural tube defects and maternal folate intake among pregnancies conceived after folic acid fortification in the United States. *Am J Epidemiol.* 2009;169(1):9-17.
- Mac Bird T, Robbins JM, Druschel C, et al. Demographic and environmental risk factors for gastroschisis and omphalocele in the National Birth Defects Prevention Study. *J Pediatr Surg.* 2009;44(8):1546-1551.

- Kancherla V, Romitti PA, Damiano PC, Druschel CM, Robbins JM. Maternal reports of satisfaction with care and outcomes for children with microtia. *Plast Reconstr Surg.* 2009;123(4):149e-150e.
- Johnson CY, Honein MA, Hobbs CA, Rasmussen SA, National Birth Defects Prevention S. Prenatal diagnosis of orofacial clefts, National Birth Defects Prevention Study, 1998-2004. *Prenat Diagn.* 2009;29(9):833-839.
- Freeman SB, Torfs CP, Romitti PA, et al. Congenital gastrointestinal defects in Down syndrome: a report from the Atlanta and National Down Syndrome Projects. *Clin Genet.* 2009;75(2):180-184.
- Damiano P, Tyler M, Romitti PA, et al. Demographic characteristics, care, and outcomes for children with oral clefts in three states using participants from the National Birth Defects Prevention Study. *Cleft Palate Craniofac J.* 2009;46(6):575-582.
- Crider KS, Cleves MA, Reefhuis J, Berry RJ, Hobbs CA, Hu DJ. Antibacterial medication use during pregnancy and risk of birth defects: National Birth Defects Prevention Study. *Arch Pediatr Adolesc Med.* 2009;163(11):978-985.
- Canfield MA, Ramadhani TA, Shaw GM, et al. Anencephaly and spina bifida among Hispanics: maternal, sociodemographic, and acculturation factors in the National Birth Defects Prevention Study. *Birth Defects Res A Clin Mol Teratol.* 2009;85(7):637-646.
- Beriaghi S, Myers SL, Jensen SA, Kaimal S, Chan CM, Schaefer GB. Cleft lip and palate: association with other congenital malformations. *J Clin Pediatr Dent.* 2009;33(3):207-210.
- Allen EG, Freeman SB, Druschel C, et al. Maternal age and risk for trisomy 21 assessed by the origin of chromosome nondisjunction: a report from the Atlanta and National Down Syndrome Projects. *Hum Genet.* 2009;125(1):41-52.
- Waller DK, Correa A, Vo TM, et al. The population-based prevalence of achondroplasia and thanatophoric dysplasia in selected regions of the US. *Am J Med Genet A.* 2008;146A(18):2385-2389.
- Malik S, Cleves MA, Honein MA, et al. Maternal smoking and congenital heart defects. *Pediatrics.* 2008;121(4):e810-816.
- Luben TJ, Nuckols JR, Mosley BS, Hobbs C, Reif JS. Maternal exposure to water disinfection by-products during gestation and risk of hypospadias. *Occup Environ Med.* 2008;65(6):420-429.
- Freeman SB, Bean LH, Allen EG, et al. Ethnicity, sex, and the incidence of congenital heart defects: a report from the National Down Syndrome Project. *Genet Med.* 2008;10(3):173-180.
- Correa A, Gilboa SM, Besser LM, et al. Diabetes mellitus and birth defects. *Am J Obstet Gynecol.* 2008;199(3):237 e231-239.
- Cleves MA, Malik S, Yang S, Carter TC, Hobbs CA. Maternal urinary tract infections and selected cardiovascular malformations. *Birth Defects Res A Clin Mol Teratol.* 2008;82(6):464-473.
- Boulet SL, Yang Q, Mai C, et al. Trends in the postfortification prevalence of spina bifida and anencephaly in the United States. *Birth Defects Res A Clin Mol Teratol.* 2008;82(7):527-532.
- Waller DK, Shaw GM, Rasmussen SA, et al. Prepregnancy obesity as a risk factor for structural birth defects. *Arch Pediatr Adolesc Med.* 2007;161(8):745-750.

- Mosley BS, Hobbs CA, Flowers BS, Smith V, Robbins JM. Folic acid and the decline in neural tube defects in Arkansas. *J Ark Med Soc.* 2007;103(10):247-250.
- Malik S, Cleves MA, Zhao W, Correa A, Hobbs CA, National Birth Defects Prevention S. Association between congenital heart defects and small for gestational age. *Pediatrics.* 2007;119(4):e976-982.
- Botto LD, Lin AE, Riehle-Colarusso T, Malik S, Correa A, National Birth Defects Prevention S. Seeking causes: Classifying and evaluating congenital heart defects in etiologic studies. *Birth Defects Res A Clin Mol Teratol.* 2007;79(10):714-727.
- Zhao W, Mosley BS, Cleves MA, Melnyk S, James SJ, Hobbs CA. Neural tube defects and maternal biomarkers of folate, homocysteine, and glutathione metabolism. *Birth Defects Res A Clin Mol Teratol.* 2006;76(4):230-236.
- Robbins JM, Tilford JM, Bird TM, Cleves MA, Reading JA, Hobbs CA. Hospitalizations of newborns with folate-sensitive birth defects before and after fortification of foods with folic acid. *Pediatrics.* 2006;118(3):906-915.
- Meyer KJ, Reif JS, Veeramachaneni DN, Luben TJ, Mosley BS, Nuckols JR. Agricultural pesticide use and hypospadias in eastern Arkansas. *Environ Health Perspect.* 2006;114(10):1589-1595.
- Hobbs CA, Malik S, Zhao W, James SJ, Melnyk S, Cleves MA. Maternal homocysteine and congenital heart defects. *J Am Coll Cardiol.* 2006;47(3):683-685.
- Hobbs CA, James SJ, Parsian A, et al. Congenital heart defects and genetic variants in the methylenetetrahydrofolate reductase gene. *J Med Genet.* 2006;43(2):162-166.
- Hobbs CA, James SJ, Jernigan S, et al. Congenital heart defects, maternal homocysteine, smoking, and the 677 C>T polymorphism in the methylenetetrahydrofolate reductase gene: evaluating gene-environment interactions. *Am J Obstet Gynecol.* 2006;194(1):218-224.
- Canfield MA, Honein MA, Yuskiv N, et al. National estimates and race/ethnic-specific variation of selected birth defects in the United States, 1999-2001. *Birth Defects Res A Clin Mol Teratol.* 2006;76(11):747-756.
- Bird TM, Hobbs CA, Cleves MA, Tilford JM, Robbins JM. National rates of birth defects among hospitalized newborns. *Birth Defects Res A Clin Mol Teratol.* 2006;76(11):762-769.
- Tilford JM, Grosse SD, Robbins JM, Pyne JM, Cleves MA, Hobbs CA. Health state preference scores of children with spina bifida and their caregivers. *Qual Life Res.* 2005;14(4):1087-1098.
- Hobbs CA, Cleves MA, Zhao W, Melnyk S, James SJ. Congenital heart defects and maternal biomarkers of oxidative stress. *Am J Clin Nutr.* 2005;82(3):598-604.
- Hobbs CA, Cleves MA, Melnyk S, Zhao W, James SJ. Congenital heart defects and abnormal maternal biomarkers of methionine and homocysteine metabolism. *Am J Clin Nutr.* 2005;81(1):147-153.
- Hobbs CA, Cleves MA, Keith C, Ghaffar S, James SJ. NKX2.5 and congenital heart defects: A population-based study. *Am J Med Genet A.* 2005;134A(2):223-225.
- Simmons CJ, Mosley BS, Fulton-Bond CA, Hobbs CA. Birth defects in Arkansas: is folic acid fortification making a difference? *Birth Defects Res A Clin Mol Teratol.* 2004;70(9):559-564.

- Cleves MA, Savell VH, Jr., Raj S, et al. Maternal use of acetaminophen and nonsteroidal anti-inflammatory drugs (NSAIDs), and muscular ventricular septal defects. *Birth Defects Res A Clin Mol Teratol.* 2004;70(3):107-113.
- Cleves MA, Ghaffar S, Zhao W, Mosley BS, Hobbs CA. First-year survival of infants born with congenital heart defects in Arkansas (1993-1998): a survival analysis using registry data. *Birth Defects Res A Clin Mol Teratol.* 2003;67(9):662-668.
- Williams LJ, Mai CT, Edmonds LD, et al. Prevalence of spina bifida and anencephaly during the transition to mandatory folic acid fortification in the United States. *Teratology.* 2002;66(1):33-39.
- Mosley BS, Simmons CJ, Cleves MA, Hobbs CA. Regional bias in birth defect prevalence rates for Arkansas: influence of incomplete ascertainment along surveillance system borders. *Teratology.* 2002;66 Suppl 1:S36-40.
- Hobbs CA, Cleves MA, Lauer RM, Burns TL, James SJ. Preferential transmission of the MTHFR 677 T allele to infants with Down syndrome: implications for a survival advantage. *Am J Med Genet.* 2002;113(1):9-14.

### **1999 and prior**

- Kirby RS, Brewster MA, Canino CU, Pavin M. Early childhood surveillance of developmental disorders by a birth defects surveillance system: methods, prevalence comparisons, and mortality patterns. *J Dev Behav Pediatr.* 1995;16(5):318-326.
- Cragan JD, Roberts HE, Edmonds LD, et al. Surveillance for anencephaly and spina bifida and the impact of prenatal diagnosis--United States, 1985-1994. *MMWR CDC Surveill Summ.* 1995;44(4):1-13.
- Cunniff C, Kirby RS, Senner JW, et al. Deaths associated with renal agenesis: a population-based study of birth prevalence, case ascertainment, and etiologic heterogeneity. *Teratology.* 1994;50(3):200-204.
- Brewster MA, Rupe W, Rafferty MH. Small area pesticides data: multiplicity and variability of pesticide usage on southern row crops. *Arch Environ Contam Toxicol.* 1992;23(3):289-294.
- Brewster MA, Kirby RS, Feild CR, Cunniff CM. Predicting needs for special education resources for mental retardation from birth defects records. *Public Health Rep.* 1992;107(3):290-296.
- Brewster MA, Heim MA. Adverse pregnancy outcomes: information from the medical record. *Ann Clin Lab Sci.* 1985;15(6):470-474.